



PHONE: 803-408-9955 WEBSITE: WWW.INNOVATIVEARMS.COM EMAIL: INFO@INNOVATIVEARMS.COM ADDRESS: 1007 Gordon St Camden, SC 29020

Manufactured in the U.S.A.

Specifications are subject to change without notice.

© 2023 INNOVATIVE ARMS, LLC All rights reserved.

All trademarks, trade names, trade dress, product names and logos appearing in this catalog are the property of their respective owners. No trademark or service appearing in this catalog may be used without the prior written consent of the mark's owner.

INNOVATIVEARMS

INNOVATIVE ARMS

PRECISION INNOVATION TECHNOLOGY

DECEPTION-X .300blk	PAGE: 3	DECEPTION 7.62	PAGE: 29
SLINGSHOT SERIES .22	PAGE: 5-6	KRYPTIC .338	PAGE: 31
LEX & 9SX 9MM	PAGE: 9-10	MOJAVE 50BMG	PAGE: 32
SHEPHERD .45	PAGE: 13-14	INTEGRAL M&P 15-22	PAGE: 33-34
W.A.R. UPPER RECEIVER	PAGE: 15-16	INTEGRAL CZ SCORPION	PAGE: 35-36
GRUNT SERIES 5.56	PAGE: 17-18	INTEGRAL SIG MPX	PAGE: 37-38
INTERCEPTOR 5.56	PAGE: 21-22	INTEGRAL REMINGTON	PAGE: 39
INTERCEPTOR 7.62	PAGE: 25-26	INTEGRAL RUGER	PAGE:40

*All information and pricing is subject to change without notice.



INNOVATION

We are constantly in a process of innovation. Shaping the industry by developing new cutting-edge ideas and making them a reality.



DESIGN

During development we don't just go after achieving the highest level of sound suppression and flash reduction. We go even further with a pleasant tone, outstanding features, ease of use and comfort for the end user.



DURABILITY

Our brand is authentic, durable and no-nonsense. All our designs are extensively tested and proven in real world applications to meet and exceed demands on function, reliability, and durability.

DECEPTION-X

#1014



DECEPTION 7.62
Caliber: .300blk
Weight: 14.5 oz
Length: 5"
Material: Stainless Steel
Finish: Back, OD Green or FDE
TPI: 5/8X24
DB Reduction: 29-31
OD: 1.62"



MICRO .300BLK



SLINGSHOT

#2101



SLINGSHOT .22MULTI

Caliber: .22 multi
Weight: 6.3oz
Length: 4.5"
Material: Stainless Steel tube/core,
Aluminum retaining nut
Finish: Back, OD Green or FDE
DB Reduction: 38-41
OD: 1.125"

SLINGSHOT - TI Titanium

#2102



SLINGSHOT-TI .22MULTI

Caliber: .22 multi
Weight: 5.2oz
Length: 4.5"
Material: Titanium tube, stainless Steel core,
Aluminum retaining nut
Finish: Back, OD Green, FDE or Natural Titanium
DB Reduction: 38-41
OD: 1.125"

- *.22 lr FULL AUTO RATED
- *Lightweight/ Compact
- *Available in two sizes
- *Available in Stainless Steel or Titanium/Stainless
- *Billet monoco
- *User serviceable with easy maintenance
- *Multi .22cal
- .22lr, 17hmr, 17 mach II, 22 mag, 5.7x28



*Available in 3.9" EXTREME MICRO size by special order, Item #2025



.22



.22 SLINGSHOT MICRO
.22 IASW integral on short barreled rifle



INNOVATIVE ARMS®



INTERCEPTOR 7.62 Quick Attach



INNOVATIVE ARMS®

LEX

#1004



Caliber: 9mm
Weight: 9.8oz
Length: 7.5"
Material: Aluminum
Finish: Type 3 Hardcoat anodized
DB Reduction: 34-36
OD: 1.37"



The LEX gives great sound suppression, versatility and durability. Rated for 9mm full auto fire, it features a multiple baffle stack and disassembles for cleaning. The LEX includes a booster piston, fixed barrel spacer and a tool for disassembly.

*A fixed barrel spacer is for use on firearms with fixed, non-moving barrels. Pistons are available in 1/2x28, M13.5x1LH, 1/2x36, 5/8x24. * A 5/8x24 piston and an additional rear cap are required for use with .300 Blk subsonic.

9SX

#2022



Caliber: .9mm
Weight: 8.7oz
Length: 6.6"
Material: Aluminum
Finish: Type 3 Hardcoat Anodized
DB Reduction: 34-35
OD: 1.37"



The 9SX provides the 9mm performance you've been looking for in a compact sub-size. Accommodating both rifle and pistol the 9SX is rated for full auto 9mm fire, it features a multiple baffle stack, and disassembles for cleaning. The 9SX includes a booster piston, fixed barrel spacer and a tool for disassembly.

A fixed barrel spacer is for use on firearms with fixed, non-moving barrels. Pistons are available in 1/2x28, M13.5x1LH, 1/2x36. The 9SX is not for use with .300 blk.

9mm



.22 SLINGSHOT -Ti



9mm LEX





MULTIPLE CALIBER USE

SHEPHERD

#1006

Caliber: .45 cal **MULTI**

Weight: 10.5oz

Length: 8"

Material: Aluminum

Finish: Type 3 Hardcoat anodized

DB Reduction: 32-36

OD: 1.5"



The SHEPHERD .45cal accommodates both pistol and rifle and is rated for full auto fire. The baffles remove for full cleaning and are type 3 hard coat anodized to give even more durability. Additional pistons are available to cover most 9mm, 300blk subsonic and .40 cal firearms. The SHEPHERD includes a booster piston, fixed barrel spacer and tool for disassembly.

*A fixed barrel spacer is for use on firearms with fixed, non-moving barrels. Pistons are available in 1/2x28, M13.5x1LH, 1/2x36, 5/8x24, .578x28, M16x1LH, 9/16x24.

.45



LIKE NO OTHER UPPER ON EARTH

The W.A.R.® is built for suppressed direct impingement 5.56 AR15/M16 rifles. Designed to give extreme advantages to the user, every detriment of suppressed firing of these rifles are now virtually eliminated.

The W.A.R. comes with forward assist, dust cover assembly and proprietary gas tube in either carbine, pistol length or mid length. The W.A.R. is for use in conjunction with only factory 5.56mm ammunition, a quality 5.56 suppressor and barrels with a gas port hole size between .084 – .093

WARFIGHTER ADJUSTABLE RECEIVER

The Killswitch® of the W.A.R. is built directly into the upper receiver, meaning that you never unshoulder the rifle or use any tools. The adjustment can even be made in the dark. You can quickly and easily switch from suppressed to unsuppressed or leave it in between the two settings to shut “off” the gas to manually cycle the rifle, all while keeping the rifle on your target.



LOCATION, LOCATION, LOCATION

The specific location of the Killswitch not only allows for use with almost every rail system on the market, but it reduces the gas just prior to interfacing with the carrier key. This means that the rifle not only sounds quieter to the shooter’s ear, but it also reduces the wear of the rifle component parts from the reduction of heat and excessive fouling.

USER COMFORT

When the W.A.R. is in the suppressed mode it virtually eliminates all the “blow back” in the shooters face, along with the burning eyes and the choking gas. The design of the W.A.R. allows the gas tube to fully pressurize which can make the rifle “feel” different. Most users say that their rifle feels like it shoots softer and smoother. This is the only upper in the world that delivers all these advantages.

GRUNT

#1008



GRUNT 5.56
Caliber: 5.56mm
Weight: 17.5oz
Length: 6.25"
Material: Stainless Steel
Finish: Back, OD Green or FDE
TPI: 1/2x28
DB Reduction: 32-35
OD: 1.5"

GRUNT EXOSKELETON

#1009



GRUNT 5.56 EXOSKELETON
Caliber: 5.56mm
Weight: 18.8oz
Length: 6.25"
Material: Stainless Steel
Finish: Black, OD Green or FDE
TPI: 1/2x28
DB Reduction: 32-35
OD: 1.5" / 1.58" EXOSKELETON

- *FULL AUTO RATED
- *Available with or without Exoskeleton Shroud
- *Available in two sizes (6.25" or 5")
- *Billet monocoresh internals
- *No Internal welds (not user serviceable)
- *All stainless steel construction
- *Wrench flats
- *Easy pin and weld
- *Available in Black, OD Green or FDE



GRUNT-M MINI

#1010



GRUNT-M 5.56 MINI
Caliber: 5.56mm
Weight: 13oz
Length: 5"
Material: Stainless Steel
Finish: Black, OD Green or FDE
TPI: 1/2x28
DB Reduction: 23-28
OD: 1.5"

GRUNT-M MINI / EXOSKELETON

#1011



GRUNT-M 5.56 MINI / EXOSKELETON
Caliber: 5.56mm
Weight: 14oz
Length: 5"
Material: Stainless Steel
Finish: Black, OD Green or FDE
TPI: 1/2x28
DB Reduction: 23-28
OD: 1.5" / 1.58" EXOSKELETON

All Grunt® and Grunt-M models are compact and lightweight. They give not only outstanding sound reduction, but also flash reduction, with virtually no flash by the third round fired in semi auto. The patented one piece core is machined from billet bar stock and with absolutely no internal welds. They are direct thread on and are full auto rated on barrels down to 10". They also feature wrench flats that allow easy pin and weld for short barrels.

5.56



5.56 GRUNT-M (mini) with EXOSKELETON Shroud on an AR15 outfitted with the Warfighter Adjustable Receiver.



5.56 INTERCEPTOR quick attach





Sleek, balanced, durable-high strength...

All INTERCEPTOR™ models give excellent sound suppression, flash reduction and precision accuracy in a compact package. The patented one piece core is machined from billet bar stock and has no internal welds. Each INTERCEPTOR comes with one quick attach flash hider mount and attaches/removes from the barrel in seconds. They are full auto rated on barrels down to 10" and are also manufactured in 7.62.

INTERCEPTOR

#2103



INTERCEPTOR 5.56

Caliber: 5.56mm

Weight: 18oz

Length: 6.6"

Material: Stainless Steel

Finish: Black, OD Green or FDE

TPI: 1/2x28

DB Reduction: 33-36

OD: 1.5"

INTERCEPTOR^{EXOSKELETON}

#2104



INTERCEPTOR 5.56^{EXOSKELETON}

Caliber: 5.56mm

Weight: 20oz

Length: 6.6"

Material: Stainless Steel

Finish: Black, OD Green or FDE

TPI: 1/2x28

DB Reduction: 33-36

OD: 1.58"

- *FULL AUTO RATED
- *Available with or without Exoskeleton Shroud
- *Available in Black, OD Green or FDE
- *Billet monocoore internals (not user serviceable)
- *No internal welds
- *All stainless steel construction
- *Quick Attach
- *Includes one Flash Hider Mount

5.56



INNOVATIVE ARMS®



INNOVATIVE ARMS®

INTERCEPTOR

#2105

Caliber: 7.62 MULTI

Weight: 22oz

Length: 7.7"

Material: All Stainless Steel

Finish: Black, OD Green or FDE

DB Reduction: 33-36

OD: 1.5"



The INTERCEPTOR™ 7.62 gives a plethora of sound suppression, recoil reduction and precision accuracy. The patented one piece core is machined from billet bar stock and has no internal welds (not user serviceable). The INTERCEPTOR 7.62 comes with one flash hider quick attach mount threaded 5/8x24 and attaches/removes from the barrel in seconds. Mounts for barrels threaded 1/2x28 are available. The INTERCEPTOR 7.62 is rated for multiple calibers and almost every rifle application, including 7.62, .300blk, .243, .260, 6mm, 6.5, 5.56 and .223 on down.

INTERCEPTOR EXOSKELETON

#2106

Caliber: 7.62 MULTI

Weight: 24oz

Length: 7.7"

Material: All Stainless Steel

Finish: Black, OD Green or FDE

DB Reduction: 33-36

OD: 1.5" / 1.58" EXOSKELETON



The INTERCEPTOR 7.62 is full auto rated on barrels down to 10" (7.5" with .300blk).
*The INTERCEPTOR with Exoskeleton™ Shroud # 2106 is required for use with 300WM.

The **EXOSKELETON** shroud difference...

Our patented Exoskeleton Shroud gives many advantages. Not only does it re-enforce the initial blast chamber but also gives added grip when mounting onto the rifle, and works as a heat sink, reducing wear and increasing longevity.

7.62



7.62 INTERCEPTOR quick attach with EXOSKELETON Shroud



INNOVATIVE ARMS®



7.62 INTERCEPTOR quick attach



INNOVATIVE ARMS®

DECEPTION

#1014



DECEPTION 7.62

Caliber: 7.62
Weight: 20oz
Length: 7.6"
Material: Stainless Steel
Finish: Back, OD Green or FDE
TPI: 5/8X24
DB Reduction: 33-36
OD: 1.5"

DECEPTION

EXOSKELETON

#1015



DECEPTION 7.62 EXOSKELETON

Caliber: 7.62
Weight: 21oz
Length: 7.6"
Material: Stainless Steel
Finish: Back, OD Green or FDE
TPI: 5/8X24
DB Reduction: 33-36
OD: 1.5" / 1.58" EXOSKELETON

Don't be deceived by its compact size.

The DECEPTION® gives outstanding sound suppression, durability and accuracy.

The patented one piece core is machined from billet bar stock and has no internal welds. The DECEPTION is direct-thread on in 5/8x24 and is full auto rated on barrels down to 10" (7.5" with .300blk). Wrench flats are incorporated to allow easy pin and weld for shorter barrels.

The DECEPTION is available with or without our patented Exoskeleton Shroud and is rated for multiple calibers and almost every rifle application, including 7.62, 308, .300blk, .243, .260, 6mm, 6.5, 5.56 and .223 on down. Adapters for barrels threaded 1/2x28 are available.

*The Exoskeleton Shroud is required for use with 300WM.



7.62



.338 LM

KRYPTIC

#1023

Caliber: .338LM

Weight: 32oz

Length: 8.5"

Material: Stainless Steel

Finish: Black, OD Green or FDE

DB Reduction: 34-35

OD: 1.62" / 1.74" EXOSKELETON



The KRYPTIC™ delivers! This silencer gives versatility, recoil reduction, repeatable accuracy and outstanding sound reduction. The Kryptic comes standard with our patented Exoskeleton Shroud. The one piece core is machined from billet bar stock and has no internal welds. The Kryptic is a direct-thread mount, features wrench flats, and is built in 3/4x24, 5/8x24 or M18x1RH. With an array of thread adapters available, it's rated for multiple calibers and almost every rifle application, including .300WM, 7.62, 308, .300blk, .243, .260, 6mm, 6.5 and 5.56.



50 BMG

MOJAVE

#1070

Caliber: 50 BMG

Weight: 5lbs 3oz

Length: 14" / Added Length: 10.75"

Material: Chromoly Steel

Finish: Black, OD Green or FDE

DB Reduction: 35

OD: 2.5"

Includes : two port muzzle break & shims



Giving absolute performance in all areas of suppressed fire, the MOJAVE makes shooting your rifle absolutely pleasant, not only for you but also to any bystanders. The high efficiency and strength of the monoco design, extremely reduces the sound signature and concussion with an added bonus of outstanding flash and recoil reduction.

BIGBORE



IASW

#1016



Caliber: .22lr
Length: 16.25"
O.D: 1.25"
Material: Aluminum Body
Stainless Steel Core
Finish: Type 3 Hard Coat Anodized

This will quickly become a rifle that you will bring to the range every time. The only complaint that you will have is that you are spending too much money on .22lr ammo. We take a standard S&W M&P 15-22 and make it stealth quiet. The barrel is ported to give you the ability to use high velocity ammunition while achieving subsonic velocities. Our patented one piece core is machined from billet stainless steel bar stock and is completely user serviceable *tool included. The construction of the integral is built to last and is FULL AUTO RATED.



IASW -S

#1026

Caliber: .22lr
Length: 8"
O.D: 1.25"
Material: Aluminum Body
Stainless Steel Core
Finish: Type 3 Hard Coat Anodized

This is the short barreled version of our IASW integral. We take a standard S&W M&P 15-22 and precision machine it down to bring it to a barrel/integral length of 8". Just like our full-size IASW integral, our patented one piece core is machined from billet stainless steel bar stock and is completely user serviceable *tool included. The construction of the integral is built to last and is FULL AUTO RATED.

INTEGRAL
FIREARMS



IASC9

#2122

Caliber: 9MM
Length: standard or micro size
Material: Aluminum Body
Stainless Steel Core
Finish: Type 3 Hard Coat Anodized

You ask us to build a BAD TO THE BONE integral for the CZ Scorpion and we heard you! The IA-SC9 transforms the Scorpion into the perfect shooting experience. It's industrial strength rugged, sweet to your ears, and gives subsonic velocities with high velocity ammunition. The integral is user serviceable with the baffles numbered for easy reassembly, and comes with the HB Industries 6.84" handguard kit already installed. Offered as a complete integral pistol or as a modification to your provided Scorpion. FULL AUTO RATED.



Already own the pistol?

Send it in for the integral modification or order just the integral barrel and handguard.

All the MLOK slots on the bottom can be used and all of the side slots can be used except for the front two slots of both rows.
Disassemble with a 1/2" drive wrench.
Numbered for easy reassembly.

INTEGRAL
FIREARMS

MPX INTEGRAL



9MM SMPX #2117

Caliber: 9mm
Barrel Suppressor/ Length: 12"
OD: 1.37"
Material: Aluminum Body
Stainless Steel Core
Finish: Type 3 Hard Coat Anodized
Laser Engraved



MPX 9MM INTEGRAL

We integrally suppress the Sig MPX pistol with our proven one piece billet core design. The core is machined from stainless steel bar stock and easily removes for cleaning. The total barrel / suppressor length is 12".

- *Billet one piece core
- *User serviceable
- *Tool included



REMINGTON AND RUGER INTEGRAL



.308 REMINGTON

Model: REM700
Caliber: .308
Material: Titanium Body/ Stainless Steel Core
Factory Barrel Twist
Barrel Length: 12.5"
(Total Barrel/Suppressor Length 20")
Weight: 6lbs 3.4oz



MK IV INTEGRAL

Caliber: .22lr
Material: All Stainless Steel
Finish: Black or Brushed Stainless
Maintains factory front sight



10/22 TD INTEGRAL

Caliber: .22lr
Material: All Stainless Steel
Finish: Black, Brushed Stainless, OD Green or FDE
Barrel/ Suppressor Length: 16.25"

